

Title: Sales Release Announcement

Bulletin Number: DB-2019-09-01

To: Grundfos Partners

January 9, 2019

Dear Partners,

Grundfos is pleased to announce the sales release of many exciting new products.

ALPHA2 26-99

The ALPHA2 26-99, a medium sized high efficiency circulator with a permanent magnet motor and eight different operating modes, including two different AUTOADAPT modes making it the perfect for any heating application.

CMBE Twin

The CMBE twin is a compact boosting system building our best in class CMBE pump. The CMBE twin consists of two CMBE pumps connected in parallel and mounted on a base plate with a Grundfos built manifold. Available in three sizes of CMBE, the CMBE twin offers a compact and reliable solution for larger boosting applications.

MAGNA3 32

The best in class MAGNA3 32 has been redesigned and available in both stainless and cast-iron version for the 32-60 and 32-100 models. The MAGNA3 offers a circulator for all applications with the best efficiency and technology in the market. The reintroduction of these products allows us to offer the complete range of MAGNA3 pumps with a redesigned control box on the MAGNA3 32-60 and 32-100 for ease of installation.

Digital Timer

The new Grundfos Digital Timer is now available for sale as the timer only. Compatible with Grundfos line cord pumps, the digital timer allows for 24-hour and 7-day programming with a battery back up to maintain settings if power is lost.

All of these products are in the 2019 price book – please see the attached documents for more information. If you have any questions, please do not hesitate to contact your District Sales Manager.


Kind Regards,

Chris Skeen
Business Development Manager
Grundfos

MAGNA3 Technical Data

MAGNA3 INFORMATION (Single & Dual Head Models)

Flow, Q:	max. 484 gpm
Head, H:	max. 60 feet
Motor:	11 x 115V, 115-230V & 208-230V, 50/60 Hz
Working Pressure:	max. 175 psi
Liquid Temperature:	14° F to 230° F
Approvals:	ANSI/UL Standard 778 / CAN/ CSA Standard C22.2 No. 108 NSF/ANSI 372 (Stainless Steel housing only)



Pump Model	Cast Iron			Stainless Steel		
	115V	115-230V	208-230V	115V	115-230V	208-230V
MAGNA3 32-60 F (N)	-	98126820	-	-	98126822	-
MAGNA3 32-100 F (N)	-	98126824	-	-	98126826	-
MAGNA3 40-80 F (N)	98126800	-	98126828	98126802	-	98126830
MAGNA3 40-120 F (N)	98126804	-	98126832	98126806	-	98126834
MAGNA3 40-180 F (N)	98126808	-	98126836	98126810	-	98126838
MAGNA3 50-80 F (N)	98126812	-	98126840	98126814	-	98126842
MAGNA3 50-150 F (N)	98126816	-	98126844	98126818	-	98126846
MAGNA3 65-120 F (N)	98124696	-	98126848	98124702	-	98126850
MAGNA3 65-150 F (N)	-	-	98126852	-	-	98126854
MAGNA3 80-100 F (N)	-	-	98126856	-	-	98126858
MAGNA3 100-120 F (N)	-	-	98126860	-	-	98126862
Twin-Head Pump Models						
MAGNA3 D 65-150F	-	-	98126863	-	-	-
MAGNA3 D 80-100 F	-	-	98126864	-	-	-
MAGNA3 D 100-120 F	-	-	98126865	-	-	-

L-MG-SL-001 01-19

The name Grundfos, the Grundfos logo, and be think innovate are registered trademarks owned by Grundfos Holding A/S or Grundfos A/S, Denmark. All rights reserved worldwide.