



Condensing Gas Boilers

SUGGESTED LIST PRICE

Effective April 1, 2017

Rinnai[®]

E-Series Refined

Rinnai offers E-Series wall-mounted, condensing gas boilers that can be easily retro-fitted to replace traditional, less efficient boilers or provide simple, space-saving installation in new builds. All six E-Series models feature Rinnai's exclusive stainless steel heat exchanger to deliver unparalleled performance and efficiency. **Priced to meet the budgets of most projects, these boilers make choosing Rinnai possible for more contractors and more owners.**

Rinnai E-Series Wall-Mounted Condensing Gas Boilers



- ENERGY STAR® Qualified
- Ultra Efficient Condensing Technology, Up to 95.5% AFUE
- Stainless Steel Boiler Heat Exchanger
- Natural Gas and Propane Models Available
- Limited 12 Year Heat Exchanger Warranty, 2 Years Parts, 1 Year Labor¹⁾
- Approved Venting: Polypropylene, Stainless Steel, **PVC**, CPVC
- Optional Low Loss Header Plumbing Kit
- Ships with the following:
 - Fully Modulating Boiler Circulation Pump
 - Outdoor Reset Sensor
 - Standard Concentric Venting and Two Pipe PVC Adaptor⁵⁾
 - Wall Mounting Bracket
 - Standard M-NPT connections for DHW and System heating

MODEL NO. ²⁾	GAS TYPE	MIN/MAX INPUT BTU (HEATING)	MIN/MAX INPUT BTU (DIRECT HOT WATER)	MAX FLOW RATE DOMESTIC HOT WATER	AFUE	BOILER DIMENSIONS (W x H x D) ³⁾	WEIGHT ⁴⁾	LIST PRICE
-------------------------	----------	-----------------------------	--------------------------------------	----------------------------------	------	---	----------------------	------------

E SERIES Combi Boilers

E50CRN ⁵⁾	NG	13,600 / 50,000	13,600 / 85,000	2.1 GPM (75° F Delta T)	95.6%	20" x 26" x 16"	96 lbs (44 kg)	\$2,580
E75CRN	NG	13,600 / 75,000	13,600 / 85,000	2.1 GPM (75° F Delta T)	95.5%	20" x 26" x 16"	96 lbs (44 kg)	\$2,790
E75CRP	LP	37,000 / 75,000	37,000/85,000					\$2,790
E110CRN	NG	26,000 / 110,000	26,000 / 130,000	3.2 GPM (75° F Delta T)	95.5%	20" x 34" x 16"	110 lbs (50 kg)	\$3,015
E110CRP	LP	59,000 / 110,000	59,000/130,000					\$3,015

NEW E SERIES Heat Only Boilers

E60SRN	NG	13,600 / 60,000	N/A	N/A	95.6%	20" x 26" x 16"	90 lbs (41 kg)	\$2,190
E60SRP	LP	37,000 / 60,000						\$2,190
E85SRN	NG	13,600 / 85,000	N/A	N/A	95.4%	20" x 26" x 16"	90 lbs (41 kg)	\$2,395
E85SRP	LP	37,000 / 85,000						\$2,395
E110SRN	NG	26,000/110,000	N/A	N/A	95.5%	20" x 34" x 16"	103 lbs (47 kg)	\$2,600
E110SRP	LP	59,000 / 110,000						\$2,600

NOTE:

- 1) Warranty may change depending on application and use. For complete warranty details, visit www.rinnai.us/warranty or call 1-800-621-9419.
- 2) "C" in the model number is for "Combi", "S" is for "System" or "Solo", "R" is for packaged without Low Loss Header and Expansion Tank
- 3) Boiler dimensions are only for the unit and shipping package not included.
- 4) Weight specification is for shipping weight.
- 5) E50CR model does not include the Concentric Flue Adaptor or Flow Switch

E-Series Closeout

Rinnai offers the E-Series wall-mounted, condensing gas boilers with **Low Loss Header** and **Expansion Tank** that can be easily retro-fitted to replace traditional, less efficient boilers or provide simple, space-saving installation in new builds. All seven models feature Rinnai's exclusive stainless steel heat exchanger to deliver unparalleled performance and efficiency.

Rinnai Wall-Mounted Condensing Gas Boilers



- ENERGY STAR® Qualified
- Ultra Efficient Condensing Technology, Up to 95.6% AFUE
- Stainless Steel Boiler Heat Exchanger
- Natural Gas and Propane Models Available
- Limited 12 Year Heat Exchanger Warranty, 2 Years Parts, 1 Year Labor¹⁾
- Approved Venting: Polypropylene, Stainless Steel, PVC, CPVC
- Ships with the following:
 - Low Loss Header Plumbing Kit²⁾
 - Fully Modulating Boiler Circulator - Q Series
 - Three Stage Boiler Circulator - E Series
 - Standard Concentric Venting and Two Pipe PVC Adaptor
 - Wall Mounting Bracket

MODEL NO.	GAS TYPE	MIN/MAX INPUT BTU (HEATING)	MIN/MAX INPUT BTU (DIRECT HOT WATER)	MAX FLOW RATE DOMESTIC HOT WATER	AFUE	BOILER DIMENSIONS (W x H x D)	WEIGHT	HEADER DIMENSIONS (W x H x D)	WEIGHT	LIST PRICE
-----------	----------	-----------------------------	--------------------------------------	----------------------------------	------	-------------------------------	--------	-------------------------------	--------	------------

E SERIES (includes Low Loss Header Plumbing Kit and Expansion Tank)

E50CN ²⁾	NG	13,600 / 50,000	17,000/85,000	2.1 GPM (75° F Delta T)	95.6%	20" x 26" x 16"	91 lbs (41 kg)	Not Included		\$2,475
E75CN	NG	17,000/75,000	17,000/85,000	2.1 GPM (75° F Delta T)	95.5%	20" x 26" x 16"	86 lbs (39 kg)	16"x 16" x 6"	17 lbs (8 kg)	\$3,350
E75CP	LP	37,000/75,000	37,000/85,000							\$3,350
E110CN	NG	26,000/110,000	26,000/130,000	3.2 GPM (75° F Delta T)	95.5%	20" x 34" x 16"	88 lbs (40 kg)	16"x 16" x 6"	17 lbs (8 kg)	\$3,700
E110CP	LP	59,000/110,000	59,000/130,000							\$3,700

NOTE: Weight specification is for shipping weight. "C" in the model number is for "Combi", "S" is for "System" or "Solo"

1) Warranty may change depending on application and use. For complete warranty details, visit www.rinnai.us/warranty or call 1-800-621-9419.

2) E50C model does not include the Low Loss Header, Expansion Tank, Concentric Flue Adaptor or Flow Switch

Rinnai offers Q-series (Combi/Heat Only wall-mounted) and QP-Series (All-in-One), condensing gas boilers that can be easily retro-fitted to replace traditional, less efficient boilers or provide simple, space-saving installation in new builds. All seven (Q&QP) models feature Rinnai's exclusive stainless steel heat exchanger to deliver unparalleled performance and efficiency.

Rinnai Q Series Wall-Mounted Condensing Gas Boilers



- ENERGY STAR® Qualified
- Ultra Efficient Condensing Technology, Up to 95.4% AFUE
- Stainless Steel Boiler Heat Exchanger
- 6 gallon stainless steel charged indirect tank (Q175C)
- Natural Gas and Propane Models Available
- Limited 12 Year Heat Exchanger Warranty, 2 Years Parts, 1 Year Labor¹⁾
- Approved Venting: Polypropylene, Stainless Steel, PVC, CPVC
- Ships with the following:
 - Low Loss Header Plumbing Kit
 - Fully Modulating Boiler Circulation pump
 - Standard Concentric Venting and Two Pipe PVC Adaptor
 - Wall Mounting Bracket

MODEL NO. ²⁾	GAS TYPE	MIN/MAX INPUT BTU (HEATING)	MIN/MAX INPUT BTU (DIRECT HOT WATER)	MAX FLOW RATE DOMESTIC HOT WATER	AFUE	BOILER DIMENSIONS (W x H x D) ³⁾	WEIGHT	HEADER DIMENSIONS (W x H x D)	WEIGHT ⁴⁾	LIST PRICE
Q85SN	NG	17,000 / 85,000		Indirect tank compatible	95.4%	20" x 27" x 15"	110 lbs (50 kg)	16"x18"x6"	19 lbs (9 kg)	\$3,915
Q130SN	NG	26,000 / 130,000		Indirect tank compatible	95.4%	20" x 27" x 15"	117 lbs (53 kg)	16"x18"x6"	19 lbs (9 kg)	\$4,250
Q130SP	LP	59,000 / 130,000	\$4,250							
Q175SN	NG	35,000 / 175,000		Indirect tank compatible	95.0%	26" x 27" x 15"	141 lbs (64 kg)	20"x19"x6"	23 lbs (10 kg)	\$4,800
Q175SP	LP	74,000 / 175,000	\$4,800							
Q175CN	NG	35,000 / 175,000		4.1 GPM (75° F Delta T)	95.0%	40" x 27" x 15"	196 lbs (89 kg)	20"x19"x6"	23 lbs (10 kg)	\$5,800
Q175CP	LP	74,000 / 175,000	\$5,800							
Q205SN	NG	41,000 / 205,000		Indirect tank compatible	95.0%	26" x 27" x 15"	141 lbs (64 kg)	20"x19"x6"	23 lbs (10 kg)	\$5,200
Q205SP	LP	74,000 / 205,000	\$5,200							

Rinnai Q Premier Gas Boilers



- Ultra Efficient at 95.4% AFUE
- Stainless Steel Boiler Heat Exchanger
- Natural Gas (Propane Conversion Kits available)
- 24-gallon stainless steel charged indirect tank
- Modulating boiler pump
- Fully-assembled system for easy installation
- 5:1 turn down ratio
- A complete solution — no sourcing components
- Multiple plumbing and venting options for installation flexibility
- Designed for zero-clearance installations
- Approved Venting: Polypropylene, Stainless Steel, PVC, CPVC
- Warranty: 12-year heat exchanger, 12-year tank, 2 year parts and 1-year labor¹⁾
- Integrated low loss header

MODEL NO.	GAS TYPE	MIN/MAX INPUT BTU	FIRST HOUR RATING (GALLONS)	AFUE	DIMENSIONS (W x H x D) ³⁾	WEIGHT ⁴⁾	LIST PRICE
QP130N	NG	26,000 / 130,000	211	95.4%	24" x 62" x 25"	243 lbs (110.2 kg)	\$6,500

NOTE:
 1) Warranty may change depending on application and use. For complete warranty details, visit www.rinnai.us/warranty or call 1-800-621-9419.
 2) "C" in the model number is for "Combi", "S" is for "System" or "Solo", "QP" is for "Q Premier" All-in-One system
 3) Boiler dimensions are only for the unit and shipping package not included.
 4) Weight specification is for shipping weight.






Venting for Condensing Technology

ITEM NO.	IMAGE	PRODUCT DESCRIPTION	LIST PRICE
184162PP*	0611	Condensing Roof Discharge Termination 20" (above roof)	\$90
223177PP*	5090	Condensing 21" Horizontal Termination Kit	\$94
224077PP*	5008	Condensing 45 Degree Vent Pipe Elbow (2	\$50
224078PP*	5010	Condensing 90 Degree Vent Pipe Elbow	\$36
224087PP*	5009	Condensing 10" Vent Pipe Extension	\$32
224079PP*		Condensing 19.5" Vent Pipe Extension	\$40
224080PP*		Condensing 39" Vent Pipe Extension	\$47
224047PP*	5092	Condensing Raised Horizontal Termination Kit (snorkel)	\$380

*Polypropylene Venting Components








Venting for Condensing Technology - Cont.

ITEM NO.	IMAGE	PRODUCT DESCRIPTION	LIST PRICE
223186PP*		19" Condensing Horiz Term Diverter Kit	\$100
710342		Rubber Wall Plate (white)	\$7
710602		Rubber Wall Plate (black)	\$7
146141		Roof Flashing Assembly-Flat	\$40
50171949		Tile/Shingle Roof Flashing - 1/12 to 6/12 pitch	\$78
50171961		Tile/Shingle Roof Flashing - 6/12 to 12/12 pitch	\$78
50171954		Tile/Shingle Roof Flashing - 8/12 to 16/12 pitch	\$78
189950		Shingle Roof Flashing - 1/12 to 6/12 pitch	\$71
189951		Shingle Roof Flashing - 6/12 to 12/12 pitch	\$71
189952		Shingle Roof Flashing - 8/12 to 16/12 pitch	\$71
242141		Flashing for Metal Roof	\$136
169044		Pipe Clamp	\$7

*Polypropylene Venting Components



Venting for Condensing Technology - Cont.

ITEM NO.	IMAGE	PRODUCT DESCRIPTION	LIST PRICE
224045		Thimble (1 kit per box)	\$58
224042		Universal Bug Guard	\$130
224097† SUPERCEDED BY 224049		Metal Pass Through Plate (Limited Supply)	\$34
224049		Vent Support Bracket	\$43
102000012		Horizontal Flashing Panel	\$14

† Limited Supply

Accessories for Boilers

ITEM NO.	PRODUCT DESCRIPTION	LIST PRICE
803000011	RS100 Room Controller (All Models Excluding Q Premier)	\$300
804000013	3-Way Diverter Valve Kit Q85S & Q130S	\$240
804000014	3-Way Diverter Valve Kit Q175S & Q205S	\$240
804000061	E-Series Low Loss Header Kit (LLH, T/P Gauge, Valves, PRV)	\$460
804000071	E75C, E110C Side Mount for Low Loss Header Kit	\$315
804000072	Q85S, Q130S Side Mount Low Loss Header Kit	\$420
804000073	Q175S, Q175C, Q205S Side Mount Low Loss Header Kit	\$525
804000079*	Pre-Bend Connect Kit for Q Premier (LEFT)	\$500
804000080*	Pre-Bend Connect Kit for Q Premier (RIGHT)	\$500
804000081*	Pre-Bend Connect Kit for Q Premier (TOP)	\$500
804000074	Kit, Condensate Neutralizer (All Models)	\$85
805000040	Flue Gas Sensor with Cable (All Models)	\$70
808000025	Air Intake Filter (All Models)	\$132
809000024	Boiler Tool Kit (All Models)	\$72
809000114	Refill, Condensate Neutralizer (All Models)	\$30
803000015	Flow Switch Conversion Kit / E50C	\$176
808000023	Concentric Flue Adaptor / E50C	\$32
MIVK-T-LW	Plumbing Isolation Valve Kit, Compact design, Ease in Flushing	\$109

* Pre-Bend Connect Kits are optional accessories for ease of installation.

Rinnai is continually updating and improving products; therefore, specifications and pricing are subject to change without prior notice. Local, state, provincial, federal and national gas fuel codes must be adhered to prior to installation. FOB Rinnai Georgia, Nevada.

Accessories for Boilers

ITEM NO.	PRODUCT DESCRIPTION	LIST PRICE
Gas Conversion kits for NG to LP		
803000014	NG to LP Conversion Kit for E50C/E50CR	\$48
803000016	NG to LP Conversion Kit for E60SR	TBD
804000015	NG to LP Conversion Kit for E75C/E75CR	\$70
803000018	NG to LP Conversion Kit for E85SR	TBD
804000016	NG to LP Conversion Kit for E110C/E100CR	\$70
803000020	NG to LP Conversion Kit for E110SR	\$70
804000017	NG to LP Conversion Kit for Q85S	\$135
804000018	NG to LP Conversion Kit for Q130S	\$135
804000089	NG to LP Conversion Kit for Q175S [replaces 804000019]	\$392
804000090	NG to LP Conversion Kit for Q175C [replaces 804000021]	\$392
804000091	NG to LP Conversion Kit for Q205S [replaces 804000020]	\$392
804000082	NG to LP Conversion Kit for QP85N	\$132
804000083	NG to LP Conversion Kit for QP130N	\$132

Gas Conversion kits for LP to NG		
803000017	LP to NG Conversion Kit for E60SR	TBD
804000023	LP to NG Conversion Kit for E75C/E75CR	\$70
803000019	LP to NG Conversion Kit for E85SR	TBD
804000024	LP to NG Conversion Kit for E110C/E100CR	\$135
803000021	LP to NG Conversion Kit for E110SR	\$135
804000025	LP to NG Conversion Kit for Q85S	\$135
804000026	LP to NG Conversion Kit for Q130S	\$135
804000027	LP to NG Conversion Kit for Q175S	\$135
804000028	LP to NG Conversion Kit for Q205S	\$135
804000029	LP to NG Conversion Kit for Q175C	\$135

Rinnai is continually updating and improving products; therefore, specifications and pricing are subject to change without prior notice. Local, state, provincial, federal and national gas fuel codes must be adhered to prior to installation. FOB Rinnai Georgia, Nevada.